THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 9th June 1939, published under Article 141 of the Articles of Association.

LIABILITIES		ASSETS	
	Rs.		Rs.
To Capital Receipts	20,00,000	By Cash in hand and at Bankers ..	31,85,374
,, Reserve Fund	26,50,000	,, Loans and Cash Credit Accounts	189,46,034
,, Public and other Deposits ..	281,83,772	,, Bills discounted and purchased ..	12,22,358
,, Sundries	4,84,402	,, Investments	88,88,222
		,, Balance at Agencies	..
		,, Dead Stock	8,99,236
		,, Sundries	1,76,950
Total Rs.	333,18,174	Rs.	333,18,174

(Annas and pies omitted.)

BANGALORE,
Dated 13th June 1939.

F. L. PERADON,
Manager.

"I intend moving the Hon'ble High Court of Mysore to enrol me as an Advocate thereof."

D. SREENIVASAIAH, B.SC., LL.B.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 33095-105, *dated 10th June* 1939.

To

The Firms to whom the enquiry has been sent.

Enquiry No. 3461.

D. C. C. WIRE FOR TRANSFORMER SECTION OF THE GOVERNMENT ELECTRIC FACTORY.

GENTLEMEN,

In continuation of this Office Memo No. 32254-65, dated 1st June 1939 forwarding a copy of the above enquiry, I write to request you to note that the quantity of D. C. C. wire required is 1,600 lbs. and that the copper wire should be supplied in continuous lengths of 150 lbs.

This enquiry will be closed on 12th July 1939 instead of on 30th June 1939.

No. S. P. C. 32312-32, *dated 3rd June* 1939.

To

The Firms dealing in Underground Cables.

Enquiry No. 3463.

UNDERGROUND VARNISHED CAMBRIC INSULATED CABLE FOR ELECTRIFICATION OF SAGAR AND OTHER TOWNS.

GENTLEMEN,

I write to request you to quote your best price and earliest time of delivery for the following material:—

13,300 Ft.—Of No. 10 S.W.G. or No. 8 B. & S. Single-conductor Varnished Cambric insulated, lead covered and jute served underground cable for 8,000-volts A.C. service.

The conductor shall be of the highest conductivity electrolytic copper. The cable is required for use on series street lighting circuits of 25 cycles. It shall be of the best quality; its manufacture and the materials used for its construction fully conforming to the latest B.S.S. or A.I.E.E. standards and it shall be suitable for use in tropical climates.

The cable will be required to be supplied in the longest manufactured lengths wound on non-returnable wooden reels suitably lagged and protected against any kind of damage to the cable during shipment or over-land transport. It will have to be tested before despatch and test certificates thereof submitted along with the supply.

The price shall be on C.I.F., Madras basis.

The tendering firms shall furnish along with their quotations full specifications and the details of construction of the cable offered together with the following particulars, without which no quotation will be considered :—

(1) Overall diameter of cable.
(2) Radial thickness of lead covering.
(3) Radial thickness of jute serving.
(4) Radial thickness of varnished cambric insulation.
(5) Cross section of the conductor in square inches.
(6) The di-electric strength of the Varnished Cambric per mil at 25° C. used for the manufacture of the cable before and after cabling.
(7) D.C. resistance per 1,000 ft. of conductor at 25° C.
(8) D.C. resistance per 1,000 ft. of conductor at 65° C.
(9) The insulation resistance of cable in Megohms per 1,000 ft. at 60° F.
(10) Length of cable in feet on each reel.
(11) Net weight of cable on each reel.
(12) Gross weight and size of each reel ready for shipment.

This enquiry will close on the *15th July 1939*.

No. S. P. C. 32733-47, dated 6th June 1939.

To

The Firms dealing in M. S. Angles.

Enquiry No. 3472.

M. S. ANGLES.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for M. S. Angles" with the above enquiry number.

This enquiry will be closed on the 19th June 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Mild Steel Angles of Size 2″×2″×¼″ in 16′ lengths ..	400 lengths	*Bangalore City.*	

N.B.—(1) Quotations for delivery from ready stocks will be preferred.
(2) The price to be quoted should be per Cwt. of the material and for delivery f.o.r., Bangalore City.

No. S. P. C. 32851-75, dated 10th June 1939.

To

The Firms dealing in Electric Pumping Sets.

Enquiry No. 3475.

ELECTRIC DRIVEN PUMPING SET FOR SHIMOGA WATER WORKS.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Shimoga and the earliest time of delivery for an Electric driven pumping set of the specification given below :—

Specification for a direct coupled electric driven duplicate pumping set for the Shimoga Water Works, Shimoga :—

Required one electric motor driven centrifugal pump for pumping water directly from the river Thunga in Shimoga, to an elevated storage tank situated in the town. The water that the pump has

to deal with will be fairly clear between the months of December and May. But it will be trubid during the rest of the year due to the monsoon. Hence the pump offered for use must be made of high class material capable of standing the wear and tear due to the change in the turbidity of the water without affecting either the discharge or the delivery head.

PUMP.

The capacity of the pump should be such that it will discharge 500 imperial gallons per minute against a total head from all causes of 250 ft. The pump casing will be made of close grained cast iron. The impelleres, neck rings, bushes, flanges, etc., may all be made of special hard phosphor bronze. The shaft may be all stainless steel; bearings may be either ball or roller. The pump on the whole must be of very high class workmanship capable of standing considerable wear and tear due to all causes. It must be fitted with priming funnel, air release cocks, pressure gauge, volume gauge, etc.

One delivery sluice valve and one reflux valve also should be supplied.

The motor and pump should be fitted on a common cast iron base plate by means of flexible coupling and suitable foundation bolts also should be supplied.

MOTOR.

A suitable electric motor with 15 per cent overload capacity to drive the above centrifugal pump directly and coupled to it by means of flexible couplings must be supplied. The electric motor will have to run on 220 volts, 3 phase, 25 cycle A. C. system. The motor and pump should be coupled and mounted on a common C. I. base plate and the pumping set as a whole must be tested and the service test certified of both the pump and motor should be supplied.

The motor must be supplied with an oil immersed auto-transformer starter provided with overload and no volt relays complete. It must be provided with one Ammeter and one volt meter also.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms

The quotations should be superscribed "Quotations for an Electric driven pumping set for Shimoga Water Works" with the above enquiry number.

This enquiry will be closed on the 15th July 1939.

No. S. P. C. 32841-50, *dated 7th June* 1939.

To

The Firms dealing in Harmoniums.

Enquiry No. 3476.

CONTRACT FOR THE SUPPLY OF HARMONIUMS DURING 1939-40.

GENTLEMEN,

Please be good enough to intimate your best prices for the supply of Harmoniums described below:—

Harmonium, hand, teakwood, 3 Oct. German Reeds, leather bellows, mother-of-pearl keys with dealwood outer box fitted with lock and key complete.

Tenderers should bind themselves to abide by the following conditions:—

(1) The price you quote should hold good for a period of one year from the date the contract is let.
(2) No enhancement in the prices accepted will be allowed during the period of contract.
(3) The Stores Purchase Committee do not bind themselves to purchase any definite number. The actual requirements of all the schools should be supplied.
(4) The indents of the Educational Officers should be complied within two weeks after their receipt.
(5) The prices to be quoted should be for free delivery on rails at different Railway Stations in the State.
(6) The Harmoniums should be guaranteed to be of sound manufacture and such as are found to be defective or become unserviceable under normal use during the year, will have to be replaced by sound ones free of cost to us.
(7) *Samples should be forwarded along with the tenders.*
(8) The successful tenderer will be required to execute an agreement and deposit a sum of Rs. 50 as security for the due fulfilment of the contract.
(9) Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for the supply of Harmoniums" with the above enquiry number.

This enquiry will be closed on the 20th June 1939.

No. S. P. C. 32824-40, dated 9th June 1939.

To

The Firms dealing in Lightning Arresters.

Enquiry No. 3477.

LIGHTNING ARRESTERS FOR ELECTRIFICATION FOR SAGAR, CHAMARAJNAGAR AND TIPTUR.

GENTLEMEN,

I write to request you to quote your best price and the earliest time of delivery for the following materials:—

TWO—Out-door Lightning Arresters for operation on 3-phase, 25 cycles, 78,000-volts, earthed neutral system.

The arresters shall be designed in standard units and each set shall consist of 3 stacks, one for each phase, being made up of the required number of standard units. The design of the individual unit shall be such that any number of units can be assembled together with one top and one base for connection to the line and the ground respectively. Each unit shall be complete in every respect, sealed in wet process porcelain containers of suitable electrical and mechanical characteristics.

The arresters shall generally conform to the latest B. S. S. or A. I. E. E. Standards and shall be suitable for satisfactory operation on a 78,000 volts, 25 cycles, 3-phase, earthed neutral system.

Full technical details and drawings and cathode-ray oscillograms relating to the performance of the arresters tendered must be furnished with the quotations without which tenders will not be considered. Also wet and dry flash-over values of the porcelain housing of the standard units shall be specified.

The prices to be quoted should be for delivery, c.i.f. Madras.

This enquiry will close on the 20th July 1939.

No. S. P. C. 32944-68, dated 9th June 1939.

To

The Firms dealing in Laboratory Fittings.

Enquiry No. 3480.

LABORATORY FITTINGS FOR THE SRI KRISHNARAJENDRA SILVER JUBILEE TECHNOLOGICAL INSTITUTE, BANGALORE.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery, f.o.r., Bangalore City and the earliest time of delivery for the materials described in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Laboratory fittings required for Sri Krishnarajendra Silver Jubilee Technological Institute, Bangalore" with the above enquiry number.

This enquiry will be closed on the 29th June 1939.

Schedule.

1.	Sinks of 12″×9″×6″ inside measurements. B. L. F. 716 of fireclay white glazed inside and cane glazed outside with overflow with B. L. F. 844 brass grating brass plug and chain	6 Nos.
2.	Sinks as specified above B. L. F. 733 of 27″×18″×10″ external with B. L. F. 859 vulcanite waste fittings complete	8 „
3.	Sinks as specified above B. L. 735 of 30″×18″×10″ external with B. L. F. 859 vulcanite waste as in above	9 „
4.	B. L. F. 1043 stone ware drop pipe for connecting to sink outlet buffglazed inside and out 2′—6″ of 2″ bore	23 „
5.	B. L. F. 1218 water bend, black bronzed ⅜″ bore on ground shrivel joint with right angle tail piece and ½″ union	3 „
6.	B. L. F. 1214 water standard black bronzed with ⅜″ bore bend two side taps B. L. F. 1166 and ½″ back nut and union "B" size 12″ height of nozzle, from bench	20 „

The reference numbers given above are from Baird & Tatlock's Catalogue, Section I (17th Edition).

No. S. P. C. 33043-62 *dated* 10*th June* 1939.

To

The Firms dealing in Chemicals.

Enquiry No. 3482.

CHEMICALS FOR INDUSTRIAL AND TESTING LABORATORY.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Chemicals" with the above enquiry number.

This enquiry will be closed on the 24th June 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Bangalore.	
1	Sodium Hypophosphite	14 lbs.		
2	Calcium Hypophosphite	14 lbs.		
3	Arsenic tri Iodide	7 lbs.		
	Mercuric Iodide	7 lbs.		

N.B.—The materials should be supplied in bulk packings and should conform to the specifications of the British Pharmacopia.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

No. S. P. C. 33122, *dated* 10*th June* 1939.

NOTICE.

Enquiry No. 3454.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of 44 miles of Underground Telephone Cables and 125 Joint Boxes for use with the cables, up to 10th August 1939.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 5 which is the price fixed for a set of tender forms and which is not refundable.

Cheques, postage stamps or postal orders will not be accepted towards the cost of forms nor will the forms be sent by V. P. P.

No. S. P. C. 33201, *dated* 12*th June* 1939.

Enquiry No. 3467.

CONDUCTORS FOR ELECTRIFICATION OF SAGAR AND OTHER TOWNS.

The Stores Purchase Committee will receive tenders up to 31st July 1939, for the supply of, the following materials :—

(1) 162 Miles of Aluminium Cable, steel reinforced equivalent to 6 B. & S. or 8 S. W. G. copper Conductor.

Alternatively

(2) 162 Miles of Bare copper wire solid 6 B. & S. or 8 S. W. G.

Intending tenderers may obtain the requisite tender form on payment of Rs. 5 which is the price fixed for one set of two forms.

Cheques, postage stamps or postal orders will not be accepted towards the cost of the forms nor will the forms be sent by V. P. P.

By Order,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries during the week ending Saturday the 20th May 1939.

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of the order
Local.			Messrs :—	Rs. a. p.
4929	Bicycles	4 Nos.	C. Natarajan & Co., Bangalore City.	48 8 0 each, f.o.r., Bangalore.
3405				
4930	Hydram Blakes' operating on the "A" principle and to the latest design and construction.	One	Richardson & Cruddas, Bombay	1,960 0 0 f.o.r., Bombay.
4931	Carts, Double bullock, frame 9′×3′ wheel height 4′ 9″ etc.	One	The Jubilee Saw Mills & Wood Works, Bangalore City.	110 0 0 free delivery at Hebbal.
3102				
4932	Articles of pack saddlery ..	Lot	Cooper Allen & Co., Cawnpore	132 8 0 f.o.r., Bangalore
4840	Iron, channel 4″×2″×21′=6″ long	50 lengths	Steel Co., Bangalore ..	9 8 0 per cwt., free delivery at the C.P.S. Central Stores.
Extn.				
	Mica sheets 8″ square by $\frac{1}{8}$″ thick 12″×6″.	10 lbs.	T. S. Wahab & Bros., Bangalore	11 8 0 per lb., do
	Mica sheets 8″ square by $\frac{1}{8}$″ thick 12″×12″.	10 lbs.	Do do ..	19 8 0 do
4933	Materials to form one pressed Steel Tank 12′×8′×8′.	Lot	Binny & Co., Ltd., Madras ..	941 0 0 f.o.r., Madras.
3387				
	Materials for M. S. Cover for the above tank complete with necessary angle bearers, etc.	Lot	Do do ..	151 0 0 do
4934	Machine, Hand power, Bench drilling	One	Richardson & Cruddas, Bombay	175 0 0 f.o.r., Bombay.
4935	*Electrical and Telephone Fittings :—*	Lot	Laclaire Electric Lamps Corporation, Bombay.	106 12 6
3087				
			Crompton Engineering Co., Madras.	916 11 0
			The Modern Electric House, Bangalore.	288 0 0
			Volkart Bros., Madras ..	134 11 0
			Massey Ganz Hackethal (India), Ltd., Madras.	451 13 0
			International General Electric Co. (India), Ltd., Bangalore.	128 6 0
			Associated Engineering Services, Bangalore.	103 10 0
			Siemens (India), Ltd., Madras..	236 12 0
			Callenders' Cable & Construction Co., Madras.	159 1 0
			Johnson & Phillips, Bombay	138 0 0
			English Electric Co., Ltd., Madras.	411 0 0
4936	Apparatus, Playground	One	Biswas Brothers & Co., Calcutta	130 0 0
3421				
4937	Grouting machine, "Gatford" light weight.	One	Balmer Lawrie & Co., Calcutta	250 0 0 f.o.r., Calcutta
4938	Rails, B. S. 60 R.lbs. section, F. F. B.S.S. in accordance with I.R.S. Specification.	1066.59 tons	The Tata Iron & Steel Co., Ltd., Madras.	140 0 0 per ton, f.o.r., Tatanagar.
	Plates, fish, suitable for rails and conforming to I. R. S.	32.43 tons	Do do ..	198 0 0 do
4939	Khaki shade No. 1 Wellington Cotton, Bedford cord 27–8″ wide.	400 Yds.	E. Spinner & Co., Bombay ..	1 3 0 a yard, f.o.r., Bangalore.
4940	Motor, B.T.H. $\frac{1}{4}$ H. P. with starter	One	Associated Electrical Industries (India), Ltd., Bangalore City.	103 0 0
	Batteries, exide..	Six	The General Electric Co., Bangalore.	36 14 0 each
	Models to show various types of contracted and abnormal Pelvis.	1 set of 16	Adair Dutt & Co., Ltd., Madras	385 0 0 f.o.r., Mysore
4941	Tyres, Heavy Duty, Transport 6,50×20.	Four	Raja Cycle & Motor Works, Bangalore City.	49 14 0 each
Foreign.				
2821	20 Guide vanes of stainless steel for 5,600 B.H.P. Francis Turbines.	One Set	Boving & Co., Ltd., London ..	£ 236 0 0 lot, f.o.b., Liverpool.

Statement of orders for the week ending Saturday the 27th May 1939.

Local.			Messrs :—	Rs. a. p.
4942	Rails, steel, new 50 lbs. section 30 Ft. long.	100 Nos.	Steel Co., Bangalore City ..	0 15 0 per Ft., f.o.r., Bangalore City.
3416				

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of the order
			Messrs.—	Rs. a. p.
4943	Almirah, Teakwood, $3\frac{1}{2}' \times 1\frac{1}{4}' \times 6'$ ..	12 Nos.	Sri Satyanarayana Furniture Hall, Bangalore City.	42 0 0 each, free delivery at the Technological Institute.
	Almirah, 3'—9" × 1'—8" × 6' ..	3 Nos.	E. K. Patra, Bangalore ..	61 0 0 do
	Almirah, 3'—6" × 1'—3" × 6' ..	4 ,,	Do ..	51 0 0 do
	Show cases 4'—6" × 1'—4" × 3' top piece 3'—6" × 10" × 4".	5 ,,	Do ..	61 0 0 do
	Table, students' 3' × 2'—3" × 2'—6"	60 ,,	Do ..	8 0 0 do
	Chairs, students' 1'—6" × 1'—4" × 3'	60 ,,	Do ..	6 0 0 do
	Table, writing 4' × 1'—6" × 4'—9"	6 ,,	The Jubilee Saw Mills & Wood Works, Bangalore City.	50 0 0 do
	Desk, sloping $5\frac{1}{2}' \times 1'—7" \times 2'—10"$	20 ,,	Do do ..	24 0 0 do
	Blackboard, sliding with white screen in the centre $19' \times 5\frac{1}{2}' \times 2\frac{1}{2}'$ stand 3' high.	One	Do do ..	150 0 0 do
	Chairs, armless $1\frac{1}{2}' \times 1'—4" \times 3'$ ..	20 Nos.	Do do ..	5 0 0 do
	Chairs, rosewood, 1'—10" × 1'—10" × 3'.	14 Nos.	The Methodist Mission Workshops and Industrial School, Tumkur.	8 0 0 each, f.o.r., Tumkur.
	Table, testing, 10' × 3' × 3' top piece 4' × 9" × 2'.	2 ,,	Do do ..	63 0 0 do
	Bench, $18' \times 3\frac{1}{2}' \times 3'$ ..	2 ,,	Do do ..	125 0 0 do
	Bench, $15' \times 4\frac{1}{2}' \times 3'$ top piece 13' .. 10' × 1'—10".	2 ,,	Do do ..	145 0 0 do
	Table, 9' × 3' × 3' ..	2 ,,	Do do ..	74 8 0 do
4944	Motor, vertical, 3 H. P., L.S.E. 720 r.p.m., with pulleys, slide rails, star delta starter.	One	William Jacks & Co., Madras	272 0 0 f.o.r., Bangalore.
3402	Motor 1 H.P. 720 r.p.m. with pulleys and slide rails.	One	Industrial & Agricultural Engineering Co., Bangalore City.	100 0 0 do
	Motor 1 H. P., 720 r.p.m. with pulley and slide rails..	3 Nos.	Do do ..	81 0 0 do
	Motor 2 H.P., 695 r.p.m. (A.C.E.C.) with pulley slide rails, starting switch with fuse.	2 ,,	Dickson & Bros., Bangalore City	73 12 0 each, free delivery at the Technological Institute.
4891	Corner Lavatory Basin, 27" × 19" with single Central tap including chain and plug, etc., (English make).	5 sets	Armugam Nagarathnam & Co., Bangalore.	50 0 0 a set, f.o.r., Mysore.
Extn. 4945	Dumpy level, Zeiss with stand V-a, complete.	One	Adair Dutt & Co., Ltd., Madras	250 0 0 f.o.r., Chikmagalur Out-Agency.
3447 4595	Drill, Khaki 27–28" wide quality B. 78 C. 500 in pieces of 40 yards each.	2,500 Yds.	The Buckingham & Carnatic Co., Ltd., Madras.	0 6 3 a Yd., f.o.r., Bangalore.
Extn. *Foreign.* 2822	Time Switches, Automatic, double pole in weather-proof cast iron cases with liver escapement suitable for connection to 250 volts A. C. 25 cycles, single phase circuit 10 amp.	22 Nos.	Electric Cable & Machinery Co., Ltd., Bombay.	£ 2 9 0 each, c.i.f., Madras.
3213	Time switches, Automatic, double pole in weather-proof cast iron cases with liver escapement suitable for connection to 250 volts A. C. 60 cycles single phase circuit, 10 amps.	12 Nos.	Electric Cable & Machinery Co., Limited, Bombay.	£ 2 9 0 each, c.i.f., Madras.
	Do do for 50 amps.	10 Nos.	Do do ..	£ 3 6 0 do
	Do do for 50 amps.	6 ,,	Do do ..	£ 5 6 0 do
2823	Bushings, "Emile Hacfely" condenser type, wall entrance type 34861-CPW. 90–210-600 Swiss manufacture, for 78 K. V. 600 amps., 25 cycles.	3 Nos.	Volkart Bros., Madras ..	£ 26 14 0 each, c.i.f., Madras.
3371 2826	Wire, copper, hard drawn, bare, solid.	114 Miles	Eastern Electric Light & Power Co., Ltd., Bombay.	Rs. 37 11 4 a cwt., c.i.f., Madras.
3301				

T. RANGASWAMI,
Secretary,
Stores Purchase Committee.